Traditional Lumiaires Catalogue 2021

IPACH (THAILAND) COMPANY LINITED
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

RECESSED Aluminuim Louver Luminaires

APPLICATIONS: OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, SUPERMARKET, SHOP, HOTEL, RESIDENTIAL, SHOWROOM, SUPERMARKET

Product Code	Lamp Holder	Lamp Type	Watt	Dimension (mm.) W x L x H
1T-118S-8	G13	T8	1 x 18W	150 x 640 x 117
1T-218S-8	G13	T8	2 x 18W	295 x 640 x 117
1T-218L-8	G13	T8	2 x 18W	595 x 640 x 117
1T-318L-8	G13	T8	3 x 18W	595 x 640 x 117
1T-114S-8	G5	T5	1 x 14W	150 x 597 x 80
1T-214S-8	G5	T5	2 x 14W	295 x 597 x 80
1T-214L-8	G5	T5	2 x 14W	595 x 597 x 80
1T-314L-8	G5	T5	3 x 14W	595 x 597 x 80

Product Code	Lamp Holder	Lamp Type	Watt	Dimension (mm.) W x L x H
1T-136S-8	G13	T8	1 x 36W	150 x 1245 x 117
1T-136L-8	G13	T8	1 x 36W	295 x 1245 x 117
1T-236S-8	G13	T8	2 x 36W	295 x 1245 x 117
1T-236L-8	G13	T8	2 x 36W	595 x 1245 x 117
1T-336L-8	G13	T8	3 x 36W	595 x 1245 x 117
1T-436L-8	G13	T8	4 x 36W	595 x 1245 x 117
1T-128S-8	G5	T5	1 x 28W	150 x 1197 x 80
1T-128L-8	G5	T5	1 x 28W	295 x 1197 x 80
1T-228S-8	G5	T5	2 x 28W	295 x 1197 x 80
1T-228L-8	G5	T5	2 x 28W	595 x 1197 x 80
1T-328L-8	G5	T5	3 x 28W	595 x 1197 x 80
1T-428L-8	G5	T5	4 x 28W	595 x 1197 x 80



INSTALLATION RECESS T-BAR CEILING

IPACH (Thailand) Company Limited

SPECIFICATION

HOUSING MADE OF COLD-ROLLED STEEL SHEET
SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT

REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95%

LOUVER MIRROR ANODIZED ALUMINIUM LOUVER 87%
MIRROR ANODIZED ALUMINIUM LOUVER 95% (Available on request)

LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)

WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

RECESSED Aluminuim Louver Luminaires

APPLICATIONS: OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, SUPERMARKET, SHOP, HOTEL, RESIDENTIAL, SHOWROOM, SUPERMARKET

Product Code	Lamp Holder	Lamp Type	Watt	Cut Out(mm.) W x L	Dimension(mm.) W x L x H
1R-118S-8	G13	T8	1 x 18W	160 x 615	180 x 655 x 105
1R-118L-8	G13	T8	1 x 18W	270 x 615	300 x 655 x 105
1R-218S-8	G13	T8	2 x 18W	270 x 615	300 x 655 x 105
1R-218L-8	G13	T8	2 x 18W	570 x 615	600 x 655 x 105
1R-318L-8	G13	T8	3 x 18W	570 x 615	600 x 655 x 105
1R-114S-8	G5	T5	1 x 14W	160 x 575	180 x 597 x 80
1R-114L-8	G5	T5	1 x 14W	275 x 575	300 x 597 x 80
1R-214S-8	G5	T5	2 x 14W	276 x 575	300 x 597 x 80
1R-214L-8	G5	T5	2 x 14W	575 x 575	600 x 597 x 80
1R-314L-8	G5	T5	3 x 14W	575 x 575	600 x 597 x 80

Product Code	Lamp Holder	Lamp Type	Watt	Cut Out(mm.) W x L	Dimension(mm.) W x L x H
1R-136S-8	G13	T8	1 x 36W	160 x 1225	180 x 1265 x 105
1R-236S-8	G13	T8	2 x 36W	275 x 1225	300 x 1265 x 105
1R-236L-8	G13	T8	2 x 36W	575 x 1225	600 x 1265 x 105
1R-336L-8	G13	T8	3 x 36W	575 x 1225	600 x 1265 x 105
1R-436L-8	G13	T8	4 x 36W	575 x 1225	600 x 1265 x 105
1R-128S-8	G5	T5	1 x 28W	160 x 1175	180 x 1197 x 80
1R-228S-8	G5	T5	2 x 28W	275 x 1175	300 x 1197 x 80
1R-228L-8	G5	T5	2 x 28W	575 x 1175	600 x 1197 x 80
1R-328L-8	G5	T5	3 x 28W	575 x 1175	600 x 1197 x 80
1R-428L-8	G5	T5	4 x 28W	575 x 1175	600 x 1197 x 80



INSTALLATION RECESS CONCEAL CEILING

SPECIFICATION

HOUSING MADE OF COLD-ROLLED STEEL SHEET
SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT

REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95%

LOUVER MIRROR ANODIZED ALUMINIUM LOUVER 87%
MIRROR ANODIZED ALUMINIUM LOUVER 95% (Available on request)

LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)

WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

RECESSED 2 in 1 Aluminuim Louver Luminaires

APPLICATIONS: OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, SUPERMARKET, SHOP, HOTEL, RESIDENTIAL, SHOWROOM, SUPERMARKET

Product Code	Lamp Holder	Lamp Type	Watt	Cut Out(mm.) W x L	Dimension(mm.) W x L x H
2TR-118L-8	G13	T8	1 x 18W	270 x 615	300 x 628 x 80
2TR-218S-8	G13	T8	2 x 18W	270 x 615	300 x 628 x 80
2TR-218L-8	G13	T8	2 x 18W	570 x 615	597 x 628 x 80
2TR-318L-8	G13	T8	3 x 18W	570 x 615	597 x 628 x 80
2TR-418L-8	G13	T8	4 x 18W	570 x 615	597 x 628 x 80

Product Code	Lamp Holder	Lamp Type	Watt	Cut Out(mm.) W x L	Dimension(mm.) W x L x H
2TR-136L-8	G13	T8	1 x 36W	270 x 1225	300 x 1238 x 80
2TR-236S-8	G13	T8	2 x 36W	270 x 1225	300 x 1238 x 80
2TR-236L-8	G13	T8	2 x 36W	570 x 1225	597 x 1238 x 80
2TR-336L-8	G13	T8	3 x 36W	570 x 1225	597 x 1238 x 80
2TR-436L-8	G13	T8	4 x 36W	570 x 1225	597 x 1238 x 80



INSTALLATION RECESS T-BAR CEILING, RECESS CONCEAL CEILING

SPECIFICATION

HOUSING	MADE OF COLD-ROLLED STEEL SHEET
	SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
	MIRROR ANODIZED ALUMINIUM REFLECTOR 95%
LOUVER	MIRROR ANODIZED ALUMINIUM LOUVER 87%
	MIRROR ANODIZED ALUMINIUM LOUVER 95% (Available on request)
LAMPHOLDER	G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
	G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

BATTEN Luminaires



STANDARD BATTEN

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
6B-118-RL	G13	T8	1x18W	55 x 640 x 95
6B-218-RL	G13	T8	2x18W	125 x 640 x 105
6B-136-RL	G13	T8	1x36W	55 x 1245 x 95
6B-236-RL	G13	T8	2x36W	120 x 1245 x 105

Installation: Surface mount

SPECIFICATION

HOUSING	MADE OF COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% AND 95% (Available on request)
LAMPHOLDER	G13 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)



STANDARD BATTEN(for LED)

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
6B-118-RL2	G13	T8	1x18W	35 x 640 x 65
6B-218-RL2	G13	T8	2x18W	120 x 640 x 65
6B-136-RL2	G13	T8	1x36W	35 x 1220 x 65
6B-236-RL2	G13	T8	2x36W	120 x 1220 x 65

Installation: Surface mount

SPECIFICATION

HOUSING	MADE OF COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% AND 95% (Available on request)
LAMPHOLDER	G13 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)



HALF REFLECTOR

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
7H-118-RL	G13	T8	1x18W	55 x 640 x 130
7H-136-RL	G13	T8	1x36W	55 x 1245 x 130

Installation: Surface moun

SPECIFICATION

HOUSING	MADE OF COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% AND 95% (Available on request)
LAMPHOLDER	G13 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)

PACH (Thailand) Company Limited

PACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com



ALUMINIUM REFLECTOR INDUSTRIAL

APPLICATION FACTORY, WAREHOUSE, CANTEEN

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
8i-118-RF8	G13	T8	1x18W	135 x 640 x 95
8i-218-RF8	G13	T8	2x18W	210 x 640 x 105
8i-136-RF8	G13	T8	1x36W	135 x 1245 x 95
8i-236-RF8	G13	T8	2x36W	210 x 1245 x 105
8i-128-RF8	G5	T5	2x28W	135 x 1170 x 95
8i-228-RF8	G5	T5	2x28W	200 x 1170 x 95

INSTALLATION SURFACE MOUNT OR SUSPEND MOUNT

SPECIFICATION

HOUSING MADE OF COLD-ROLLED STEEL SHEET
ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)
LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED POLYCARBONATE BODY(On request)
G13 SPRING LOAD LOCKED POLYCARBONATE BODY
WIRES THW 0.5mm OR 1 mm2 (On request)



COLD-ROLLED STEEL REFLECTOR INDUSTRIAL

APPLICATION FACTORY, WAREHOUSE, CANTEEN

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
8i-118-SS	G13	T8	1x18W	135 x 640 x 95
8i-218-SS	G13	T8	2x18W	210 x 640 x 105
8i-136-SS	G13	T8	1x36W	135 x 1245 x 95
8i-236-SS	G13	T8	2x36W	210 x 1245 x 105

INSTALLATION SURFACE MOUNT OR SUSPEND MOUNT

SPECIFICATION

HOUSING MADE OF COLD-ROLLED STEEL SHEET
ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITHPOLYESTER POWDER COAT
REFLECTOR MADE OF COLD-ROLLED STEEL SHEET
ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED POLYCARBONATE BODY(On request)
G13 SPRING LOAD LOCKED POLYCARBONATE BODY
WIRES THW 0.5mm OR 1 mm2 (On request)

IPACH (Thailand) Company Limited

PACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

STAINLESS Steel SUS304 Luminaires

SURFACE MOUNT ACRYLIC DIFFUSER (Stainless Steel 304)

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
3S-236S-ACST8	G13	T8	2 x 36W	297 x 1225 x 95
3S-236L-ACST8	G13	T8	2 x 36W	597 x 1225 x 95
3S-336L-ACST8	G13	T8	3 x 36W	597 x 1225 x 95
3S-436L-ACST8	G13	T8	4 x 36W	597 x 1225 x 95
3S-336P-ACST8	G13	T8	3 x 36W	420 x 1225 x 95
3S-436P-ACST8	G13	T8	4 x 36W	535 x 1225 x 95
3S-536P-ACST8	G13	T8	5 x 36W	597 x 1225 x 95

RECESS MOUNT ACRYLIC DIFFUSER (Stainless Steel 304)

Product Code	Lamp Holder	Lamp Type	Watt	Cut Out(mm.) W x L	Dimension(mm.) W x L x H
3R-236S-ACST8	G13	T8	2 x 36W	270 x 1225	293 x 1250 x 90
3R-236L-ACST8	G13	T8	2 x 36W	575 x 1225	593 x 1250 x 90
3R-336L-ACST8	G13	T8	3 x 36W	575 x 1225	593 x 1250 x 90
3R-436L-ACST8	G13	T8	4 x 36W	575 x 1225	593 x 1250 x 90



SPECIFICATION

HOUSING	STAINLESS STEEL (SUS304)
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% (Available on request)
	MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)
DIFFUSER	CLEAR ACRYLIC DIFFUSER
LAMPHOLDER	G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)

WEATHER PROOF (Stainless Steel)

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
5-136-STA	G13	T8	1x36W	100 x 1270 x 105
5-236-STA	G13	T8	2x36W	175 x 1270 x 105
5-128-STA	G5	T5	1x28W	100 x 1270 x 105
5-228-STA	G5	T5	2x28W	175 x 1270 x 105

Installation: Surface mount or Suspend mount

SPECIFICATION

HOUSING	STAINLESS STEEL (SUS304)
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% (Available on request)
	MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)
DIFFUSER	CLEAR ACRYLIC DIFFUSER
LAMPHOLDER	G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)
CLIPLOCKS	STAINLESS STEEL

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

IPACH (Thailand) Company Limited

SURFACE Mount Acrylic Diffuser Luminaires

APPLICATIONS: OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, SUPERMARKET, SHOP, HOTEL, RESIDENTIAL, SHOWROOM, SUPERMARKET

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
3S-118S-AC8	G13	T8	1 x 18W	180 x 615 x 95
3S-118L-AC8	G13	T8	1 x 18W	297 x 615 x 95
3S-218S-AC8	G13	T8	2 x 18W	297 x 615 x 95
3S-218L-AC8	G13	T8	2 x 18W	597 x 615 x 95
3S-318L-AC8	G13	T8	3 x 18W	597 x 615 x 95
3S-114S-AC8	G5	T5	1 x 14W	180 x 568 x 95
3S-114L-AC8	G5	T5	1 x 14W	297 x 568 x 95
3S-214S-AC8	G5	T5	2 x 14W	297 x 568 x 95
3S-214L-AC8	G5	T5	2 x 14W	597 x 568 x 95
3S-314L-AC8	G5	T5	3 x 14W	597 x 568 x 95

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
3S-136S-AC8	G13	T8	1 x 36W	180 x 1225 x 95
3S-136L-AC8	G13	T8	1 x 36W	297 x 1225 x 95
3S-236S-AC8	G13	T8	2 x 36W	297 x 1225 x 95
3S-236L-AC8	G13	T8	2 x 36W	597 x 1225 x 95
3S-336L-AC8	G13	T8	3 x 36W	597 x 1225 x 95
3S-436L-AC8	G13	T8	4 x 36W	597 x 1225 x 95
3S-128S-AC8	G5	T5	1 x 28W	180 x 1170 x 95
3S-128L-AC8	G5	T5	1 x 28W	297 x 1170 x 95
3S-228S-AC8	G5	T5	2 x 28W	297 x 1170 x 95
3S-228L-AC8	G5	T5	2 x 28W	597 x 1170 x 95
3S-328L-AC8	G5	T5	3 x 28W	597 x 1170 x 95
3S-428L-AC8	G5	T5	4 x 28W	597 x 1170 x 95
3S-336P-AC8	G13	T8	3 x 36W	420 x 1225 x 95
3S-436P-AC8	G13	T8	4 x 36W	535 x 1225 x 95
3S-536P-AC8	G13	T8	5 x 36W	597 x 1225 x 95

* AC = CLEAR ACRYLIC AP= OPAL ACRYLIC AA=PRISMATIC ACRYLIC

INSTALLATION SURFACE MOUNT OR SUSPEND MOUNT

IPACH (Thailand) Company Limited

SPECIFICATION

HOUSING MANUFACTURED FROM COLD-ROLLED STEEL SHEET
SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT

REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)

DIFFUSER CLEAR ACRYLIC, OPAL ACRYLIC, PRISMATIC ACRYLIC, STIPPLE ACRYLIC

LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)

WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

RECESSED Mount Acrylic Diffuser Luminaires

APPLICATIONS: OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, SUPERMARKET, SHOP, HOTEL, RESIDENTIAL, SHOWROOM, SUPERMARKET

Product Code	Lamp Holder	Lamp Type	Watt	Cut Out(mm.) W x L	Dimension(mm.) W x L x H
3R-118S-AC8	G13	T8	1 x 18W	160 x 615	173 x 635 x 90
3R-118L-AC8	G13	T8	1 x 18W	270 x 615	293 x 635 x 90
3R-218S-AC8	G13	T8	2 x 18W	270 x 615	293 x 635 x 90
3R-218L-AC8	G13	T8	2 x 18W	575 x 615	593 x 635 x 90
3R-318L-AC8	G13	T8	3 x 18W	570 x 615	593 x 635 x 90
3R-114S-AC8	G5	T5	1 x 14W	160 x 575	173 x 590 x 90
3R-114L-AC8	G5	T5	1 x 14W	270 x 575	293 x 590 x 90
3R-214S-AC8	G5	T5	2 x 14W	270 x 575	293 x 590 x 90
3R-214L-AC8	G5	T5	2 x 14W	575 x 575	593 x 590 x 90
3R-314L-AC8	G5	T5	3 x 14W	575 x 575	593 x 590 x 90

Product Code	Lamp Holder	Lamp Type	Watt	Cut Out(mm.) W x L	Dimension(mm.) W x L x H
3R-136S-AC8	G13	T8	1 x 36W	160 x 1225	173 x 1250 x 90
3R-136L-AC8	G13	T8	1 x 36W	270 x 1225	293 x 1250 x 90
3R-236S-AC8	G13	T8	2 x 36W	270 x 1225	293 x 1250 x 90
3R-236L-AC8	G13	T8	2 x 36W	575 x 1225	593 x 1250 x 90
3R-336L-AC8	G13	T8	3 x 36W	575 x 1225	593 x 1250 x 90
3R-436L-AC8	G13	T8	4 x 36W	575 x 1225	593 x 1250 x 90
3R-128S-AC8	G5	T5	1 x 28W	160 x 1175	173 x 1195 x 90
3R-128L-AC8	G5	T5	1 x 28W	270 x 1175	293 x 1195 x 90
3R-228S-AC8	G5	T5	2 x 28W	270 x 1175	293 x 1195 x 90
3R-228L-AC8	G5	T5	2 x 28W	575 x 1175	593 x 1195 x 90
3R-328L-AC8	G5	T5	3 x 28W	575 x 1175	593 x 1195 x 90
3R-428L-AC8	G5	T5	4 x 28W	575 x 1175	593 x 1195 x 90



* AC = CLEAR ACRYLIC AP= OPAL ACRYLIC AA=PRISMATIC ACRYLIC

INSTALLATION RECESS CONCEAL CEILING

SPECIFICATION

HOUSING MANUFACTURED FROM COLD-ROLLED STEEL SHEET
SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT

REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)

DIFFUSER CLEAR ACRYLIC, OPAL ACRYLIC, PRISMATIC ACRYLIC, STIPPLE ACRYLIC

LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)

WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

SURFACE Mount HIGH-BAY Acrylic Diffuser Luminaires

APPLICATION: DEPARMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, WAREHOUSE, CANTEEN, SHOWROOM, EXHIBITION HALL, GYMNASIUM



Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
4S-236S-AC9	G13	T8	2X36W	300 X 1245 X 110
4S-336L-AC9	G13	T8	3x36W	400 x 1245 x 110
4S-436L-AC9	G13	T8	4x36W	540 x 1245 x 110
4S-536L-AC9	G13	T8	5x36W	660 x 1245 x 110
4S-228S-AC9	G13	T8	2X36W	300 X 1170 X 110
4S-328L-AC9	G5	T5	3x28W	400 x 1170 x 110
4S-428L-AC9	G5	T5	4x28W	540 x 1170 x 110
4S-528L-AC9	G5	T5	5x28W	660 x 1170 x 110
4S-254S-AC9	G5	T5	2X36W	300 X 1170 X 110
4S-354L-AC9	G5	T5	3x54W	400 x 1170 x 110
4S-454L-AC9	G5	T5	4x54W	540 x 1170 x 110
4S-554L-AC9	G5	T5	5x54W	660 x 1170 x 110

INSTALLATION SURFACE MOUNT OR SUSPEND MOUNT

IPACH (Thailand) Company Limited

SPECIFICATION

HOUSING MANUFACTURED FROM COLD-ROLLED STEEL SHEET
SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT

REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)

DIFFUSER CLEAR ACRYLIC

LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)

WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

SURFACE Aluminuim Louver Luminaires

APPLICATIONS: OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, SUPERMARKET, SHOP, HOTEL, RESIDENTIAL, SHOWROOM, SUPERMARKET

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
2S-118S-8	G13	T8	1 x 18W	200 x 613 x 80
2S-118L-8	G13	T8	1 x 18W	297 x 613 x 80
2S-218S-8	G13	T8	2 x 18W	297 x 613 x 80
2S-218L-8	G13	T8	2 x 18W	597 x 613 x 80
2S-318L-8	G13	T8	3 x 18W	597 x 613 x 80
2S-418L-8	G13	T8	4 x 18W	597 x 613 x 80

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
2S-136S-8	G13	T8	1 x 36W	200 x 1223 x 80
2S-136L-8	G13	T8	1 x 36W	297 x 1223 x 80
2S-236S-8	G13	T8	2 x 36W	297 x 1223 x 80
2S-236L-8	G13	T8	2 x 36W	597 x 1223 x 80
2S-336L-8	G13	T8	3 x 36W	597 x 1223 x 80
2S-436L-8	G13	T8	4 x 36W	597 x 1223 x 80



INSTALLATION SURFACE MOUNT OR SUSPEND MOUNT

SPECIFICATION

HOUSING MADE OF COLD-ROLLED STEEL SHEET
SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT

REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95%

LOUVER MIRROR ANODIZED ALUMINIUM LOUVER 87%
MIRROR ANODIZED ALUMINIUM LOUVER 95% (Available on request)

LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)

WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

SURFACE Mount Luminaires



U-SHAPE

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
9U-118-AC	G13	T8	1x18W	70 x 640 x 95
9U-218-AC	G13	T8	2x18W	210 x 640 x 75
9U-136-AC	G13	T8	1x36W	70 x 1245 x 95
9U-236-AC	G13	T8	2x36W	210 x 1245 x 75
9U-128-AC	G5	T5	1x28W	70 x 1170 x 95
9U-228-AC	G5	T5	2x28W	210 x 1170 x 75

* AC = CLEAR ACRYLIC AP= OPAL ACRYLIC AA=PRISMATIC ACRYLIC

SPECIFICATION

HOUSING	MADE OF COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% AND 95% (Available on request)
DIFFUSER	CLEAR ACRYLIC (PC), OPAL ACRYLIC(PP), PRISMATIC ACRYLIC(PA) THICKNESS 2mm.
LAMPHOLDER	G13 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)



V-SHAPE

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
10V-118	G13	T8	1x18W	**150 x 640 x 95**
10V-218	G13	T8	2x18W	**150 x 640 x 80**
10V-136	G13	T8	1x36W	**150 x 1245 x 95**
10V-236	G13	T8	2x36W	**150 x 1245 x 80**
10V-128	G5	T5	1x28W	**102 x 1170 x 60**
10V-228	G5	T5	2x28W	**102 x 1170 x 40**

SPECIFICATION

HOUSING	MADE OF COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% AND 95% (Available on request)
LAMPHOLDER	G13 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)





WIREGUARD BATTEN

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
11W-118-RL	G13	T8	1x18W	65 x 640 x 105
11W-218-RL	G13	T8	2x18W	135 x 640 x 110
11W-136-RL	G13	T8	1x36W	65 x 1245 x 105
11W-236-RL	G13	T8	2x36W	135 x 1245 x 110

Installation: Surface mount or Suspend mount

SPECIFICATION

HOUSING	MADE OF COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% AND 95% (Available on request)
WIREGUARD	MADE OF COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
LAMPHOLDER	G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY
WIRES	THW 0.5mm^2 STANDARD (1 mm^2 on request)

PACH (Thailand) Company Limited

PACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

SURFACE T-BAR Acrylic Diffuser Luminaires

APPLICATIONS: OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE, UNIVERSITY, GOVERNMENT BUILDING, FACTORY, SUPERMARKET, SHOP, HOTEL, RESIDENTIAL, SHOWROOM, SUPERMARKET

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
3T-118S-AC8	G13	T8	1 x 18W	150 x 640 x 80
3T-118L-AC8	G13	T8	1 x 18W	300 x 640 x 80
3T-218S-AC8	G13	T8	2 x 18W	300 x 640 x 80
3T-218L-AC8	G13	T8	2 x 18W	597 x 640 x 80
3T-318L-AC8	G13	T8	3 x 18W	597 x 640 x 80
3T-114S-AC8	G5	T5	1 x 14W	150 x 598 x 80
3T-114L-AC8	G5	T5	1 x 14W	300 x 598 x 80
3T-214S-AC8	G5	T5	2 x 14W	300 x 598 x 80
3T-214L-AC8	G5	T5	2 x 14W	597 x 598 x 80
3T-314L-AC8	G5	T5	3 x 14W	597 x 598 x 80

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
3T-136S-AC8	G13	T8	1 x 36W	150 x 1245 x 80
3T-136L-AC8	G13	T8	1 x 36W	297 x 1245 x 80
3T-236S-AC8	G13	T8	2 x 36W	297 x 1245 x 80
3T-236L-AC8	G13	T8	2 x 36W	597 x 1245 x 80
3T-336L-AC8	G13	T8	3 x 36W	597 x 1245 x 80
3T-436L-AC8	G13	T8	4 x 36W	597 x 1245 x 80
3T-128S-AC8	G5	T5	1 x 28W	150 x 1200 x 80
3T-128L-AC8	G5	T5	1 x 28W	297 x 1200 x 80
3T-228S-AC8	G5	T5	2 x 28W	297 x 1200 x 80
3T-228L-AC8	G5	T5	2 x 28W	597 x 1200 x 80
3T-328L-AC8	G5	T5	3 x 28W	597 x 1200 x 80
3T-428L-AC8	G5	T5	4 x 28W	597 x 1200 x 80



* AC = CLEAR ACRYLIC AP= OPAL ACRYLIC AA=PRISMATIC ACRYLIC

INSTALLATION RECESS T-BAR CEILING

IPACH (Thailand) Company Limited

SPECIFICATION

HOUSING MANUFACTURED FROM COLD-ROLLED STEEL SHEET
SIX-STAGES ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT

REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87%
MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)

DIFFUSER CLEAR ACRYLIC, OPAL ACRYLIC, PRISMATIC ACRYLIC, STIPPLE ACRYLIC

LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
G13 SPRING LOAD LOCKED HIGH HEAT RESISTANT POLYCARBONATE BODY (On request)

WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

WEATHER PROOF (Steel Housing)

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
5-136S-SHA	G13	T8	1x36W	100 x 1270 x 105
5-236-SHA	G13	T8	2x36W	175 x 1270 x 105
5-128S-SHA	G5	T5	1x28W	100 x 1270 x 105
5-228-SHA	G5	T5	2x28W	175 x 1270 x 105

Installation: Surface mount or Suspend mount

SPECIFICATION

HOUSING COLD-ROLLED STEEL SHEET
ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87% (Available on request)
MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)
DIFFUSER CLEAR ACRYLIC DIFFUSER
LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

WEATHER PROOF

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
5-118S-ZAP	G13	T8	1x18W	100 x 666 x 108
5-136S-ZAP	G13	T8	1x36W	100 x 1276 x 108
5-218-ZAP	G13	T8	2x18W	170 x 666 x 108
5-236-ZAP	G13	T8	2x36W	170 x 1276 x 108
5-128S-ZAP	G5	T5	1x28W	170 x 666 x 108
5-228-ZAP	G5	T5	2x28W	170 x 1276 x 108

Installation: Surface mount or Suspend mount

SPECIFICATION

HOUSING POLYESTER REINFORCED WITH FIBERGLASS (GRP)
REFLECTOR MIRROR ANODIZED ALUMINIUM REFLECTOR 87% (Available on request)
MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)
DIFFUSER POLYCARBONATE
LAMPHOLDER G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
WIRES THW 0.5mm^2 STANDARD (1 mm^2 on request)

IPACH (Thailand) Company Limited

Weather Proof Spare Parts

1. Plate(Steel and Stainless Steel)
2. Clear Acrylic diffuser 1x18W, 2x18W, 1x36W, 2x36W
3. Lampholder
4. Reflector 87% and 95%
5. Stainless Steel 304 clip

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com

WEATHER PROOF (Steel Housing)

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
5-136S-SHA	G13	T8	1x36W	100 x 1270 x 105
5-236-SHA	G13	T8	2x36W	175 x 1270 x 105
5-128S-SHA	G5	T5	1x28W	100 x 1270 x 105
5-228-SHA	G5	T5	2x28W	175 x 1270 x 105

Installation: Surface mount or Suspend mount

SPECIFICATION

HOUSING	COLD-ROLLED STEEL SHEET ZINC-PHOSPHATE AND ANTI-RUST FINISHED WITH POLYESTER POWDER COAT
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% (Available on request) MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)
DIFFUSER	CLEAR ACRYLIC DIFFUSER , THEMAL RESISTANCE 55°C
LAMPHOLDER	G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
WIRES	THW 0.5mm² STANDARD (1 mm² on request)

WEATHER PROOF

Product Code	Lamp Holder	Lamp Type	Watt	Dimension(mm.) W x L x H
5-118S-ZAP	G13	T8	1x18W	100 x 666 x 108
5-136S-ZAP	G13	T8	1x36W	100 x 1276 x 108
5-218-ZAP	G13	T8	2x18W	170 x 666 x 108
5-236-ZAP	G13	T8	2x36W	170 x 1276 x 108
5-128S-ZAP	G5	T5	1x28W	170 x 666 x 108
5-228-ZAP	G5	T5	2x28W	170 x 1276 x 108

Installation: Surface mount or Suspend mount

SPECIFICATION

HOUSING	POLYESTER REINFORCED WITH FIBERGLASS (GRP), THEMAL RESISTANCE 105°C
REFLECTOR	MIRROR ANODIZED ALUMINIUM REFLECTOR 87% (Available on request) MIRROR ANODIZED ALUMINIUM REFLECTOR 95% (Available on request)
DIFFUSER	POLYCARBONATE , THEMAL RESISTANCE 85°C
LAMPHOLDER	G13 AND G5 ROTARY SPRING-LOCKED HIGH HEAT RESISTANCE POLYCARBONATE BODY
WIRES	THW 0.5mm² STANDARD (1 mm² on request)

Weather Proof Spare Parts



1. Plate(Steel and Stainless Steel)
2. Clear Acrylic diffuser 1x18W, 2x18W, 1x36W, 2x36W
3. Lampholder
4. Reflector 87% and 95%
5. Stainless Steel 304 clip

IPACH (Thailand) Company Limited
190/30 Moo 5 Praksa Muang Samutprakarn Thailand 10280
Tel: 02-1034231 Fax: 02-1034232
www.ipachthailand.com